

Telemecanique Sensors Promo Price List

Model Number		Description (Short)	Price (SGD)
XUM	XUM4ANXBL2	Photoelectric sensors XU, miniature, diffuse short, Smax=0.25 m, NPN, cable 2 m	\$ 24.00
XUM	XUM4APXBL2	Photoelectric sensors XU, miniature, diffuse short, Smax=0.25 m, PNP, cable 2 m	\$ 25.85
XUM	XUM4ANXBM8	Photoelectric sensors XU, miniature, diffuse short, Smax=0.25 m, NPN, connector M8	\$ 26.60
XUM	XUM4APXBM8	Photoelectric sensors XU, miniature, diffuse short, Smax=0.25 m, PNP, connector M8	\$ 26.71
XUM	XUM6ANXBL2	Photoelectric sensors XU, miniature, diffuse medium, Smax=1.1 m, NPN, cable 2 m	\$ 26.83
XUM	XUM6APXBL2	Photoelectric sensors XU, miniature, diffuse medium, Smax=1.1 m, PNP, cable 2 m	\$ 26.93
XUM	XUM6ANXBM8	Photoelectric sensors XU, miniature, diffuse medium, Smax=1.1 m, NPN, connector M8	\$ 27.70
XUM	XUM6APXBM8	Photoelectric sensors XU, miniature, diffuse medium, Smax=1.1 m, PNP, connector M8	\$ 27.83
XUM	XUM9ANXBL2	Photoelectric sensors XU, photo electric sensor, miniature, polarised, Smax=8 m, NPN, cable 2 m	\$ 27.86
XUM	XUM5ANXBL2	Photoelectric sensors XU, miniature, diffuse long, Smax=1.9 m, NPN, cable 2 m	\$ 27.94
XUM	XUM9APXBL2	Photoelectric sensors XU, photo electric sensor, miniature, polarised, Smax=8 m, PNP, cable 2 m	\$ 27.98
XUM	XUM5APXBL2	Photoelectric sensors XU, miniature, diffuse long, Smax=1.9 m, PNP, cable 2 m	\$ 28.05
XUM	XUM9ANXBM8	Photoelectric sensors XU, photo electric sensor, miniature, polarised, Smax=8 m, NPN, connector M8	\$ 28.79
XUM	XUM5ANXBM8	Photoelectric sensors XU, miniature, diffuse long, Smax=1.9 m, NPN, connector M8	\$ 28.86
XUM	XUM9APXBM8	Photoelectric sensors XU, photo electric sensor, miniature, polarised, Smax=8 m, PNP, connector M8	\$ 28.91

XUM	XUM5APXBM8	Photoelectric sensors XU, miniature, diffuse long, Smax=1.9 m, PNP, connector M8	\$ 28.98
XUM	XUM8ANXBL2	Photoelectric sensors XU, miniature, background suppression, Smax=0.30 m, NPN, cable 2 m	\$ 34.30
XUM	XUM8APXBL2	Photoelectric sensors XU, miniature, background suppression, Smax=0.30 m, PNP, cable 2 m	\$ 34.45
XUM	XUM8ANXBM8	Photoelectric sensors XU, miniature, background suppression, Smax=0.30 m, NPN, connector M8	\$ 35.44
XUM	XUM8APXBM8	Photoelectric sensors XU, miniature, background suppression, Smax=0.30 m, PNP, connector M8	\$ 35.59
XUM	XUM2ANXBL2	Photoelectric sensors XU, miniature, thru beam, Smax=30 m, system, NPN, cable 2 m	\$ 40.13
XUM	XUM2APXBL2	Photoelectric sensors XU, miniature, thru beam, Smax=30 m, system, PNP, cable 2 m	\$ 40.30
XUM	XUM2ANXBM8	Photoelectric sensors XU, miniature, thru beam, Smax=30 m, system, NPN, connector M8	\$ 41.45
XUM	XUM2APXBM8	Photoelectric sensors XU, miniature, thru beam, Smax=30 m, system, PNP, connector M8	\$ 41.63
XUB	XUB2AKXNL2T	Cylindrical, Plastic, Thru-beam, Transmitter, Smax 30m, Cable 2m	\$ 35.56
XUB	XUB2AKXNM12T	Cylindrical, Plastic, Thru-beam, Transmitter, Smax 30m, Connector M12	\$ 35.81
XUB	XUB2AKXWL2T	Cylindrical, Plastic, Angled, Thru-beam, Transmitter, Smax 30m, Cable 2m	\$ 38.09
XUB	XUB2AKXWM12T	Cylindrical, Plastic, Angled, Thru-beam, Transmitter, Smax 30m, Connector M12	\$ 38.35
XUB	XUB2BKXNL2T	Cylindrical, Metal, Thru-beam, Transmitter, Smax 30m, Cable 2m	\$ 38.35
XUB	XUB2BKXNM12T	Cylindrical, Metal, Thru-beam, Transmitter, Smax 30m, Connector M12	\$ 38.61
XUB	XUB2BKXWL2T	Cylindrical, Metal, Angled, Thru-beam, Transmitter, Smax 30m, Cable 2m	\$ 41.08
XUB	XUB2BKXWM12T	Cylindrical, Metal, Angled, Thru-beam, Transmitter, Smax 30m, Connector M12	\$ 41.36

XUB	XUB2APXNL2R	Cylindrical, Plastic, Thru-beam, Receiver, Smax 30m, PNP, Cable 2m	\$ 52.04
XUB	XUB2ANXNL2R	Cylindrical, Plastic, Thru-beam, Receiver, Smax 30m, NPN, Cable 2m	\$ 52.06
XUB	XUB2APXNM12R	Cylindrical, Plastic, Thru-beam, Receiver, Smax 30m, PNP, Connector M12	\$ 52.39
XUB	XUB2ANXNM12R	Cylindrical, Plastic, Thru-beam, Receiver, Smax 30m, NPN, Connector M12	\$ 52.43
XUB	XUB2APYNM12R	Cylindrical, Plastic, Thru-beam, Receiver, Smax 30m, IO-Link, Connector M12	\$ 54.46
XUB	XUB2APXWL2R	Cylindrical, Plastic, Angled, Thru-beam, Receiver, Smax 30m, PNP, Cable 2m	\$ 55.73
XUB	XUB2ANXWL2R	Cylindrical, Plastic, Angled, Thru-beam, Receiver, Smax 30m, NPN, Cable 2m	\$ 55.76
XUB	XUB2APXWM12R	Cylindrical, Plastic, Angled, Thru-beam, Receiver, Smax 30m, PNP, Connector M12	\$ 56.10
XUB	XUB2BPXNL2R	Cylindrical, Metal, Thru-beam, Receiver, Smax 30m, PNP, Cable 2m	\$ 56.11
XUB	XUB2ANXWM12R	Cylindrical, Plastic, Angled, Thru-beam, Receiver, Smax 30m, NPN, Connector M12	\$ 56.14
XUB	XUB2BNXNL2R	Cylindrical, Metal, Thru-beam, Receiver, Smax 30m, NPN, Cable 2m	\$ 56.15
XUB	XUB2BPXNM12R	Cylindrical, Metal, Thru-beam, Receiver, Smax 30m, PNP, Connector M12	\$ 56.49
XUB	XUB2BNXNM12R	Cylindrical, Metal, Thru-beam, Receiver, Smax 30m, NPN, Connector M12	\$ 56.53
XUB	XUB6APXNL2	Cylindrical, Plastic, Diffuse Medium, Smax 0.6 m, PNP, Cable 2m	\$ 56.69
XUB	XUB6ANXNL2	Cylindrical, Plastic, Diffuse Medium, Smax 0.6 m, NPN, Cable 2m	\$ 56.71
XUB	XUB6APXNM12	Cylindrical, Plastic, Diffuse Medium, Smax 0.6 m, PNP, Connector M12	\$ 57.08
XUB	XUB6ANXNM12	Cylindrical, Plastic, Diffuse Medium, Smax 0.6 m, NPN, Connector M12	\$ 57.10

XUB	XUB2APYWM12R	Cylindrical, Plastic, Angled, Thru-beam, Receiver, Smax 30m, IO-Link, Connector M12	\$ 57.91
XUB	XUB2BPYNM12R	Cylindrical, Metal, Thru-beam, Receiver, Smax 30m, IO-Link, Connector M12	\$ 58.39
XUB	XUB9APXNL2	cylindrical, plastic, polarised, Smax 7 m, PNP, Cable 2 m	\$ 59.03
XUB	XUB9ANXNL2	cylindrical, plastic, polarised, Smax 7 m, NPN, Cable 2 m	\$ 59.06
XUB	XUB9APXNM12	cylindrical, plastic, polarised, Smax 7 m, PNP, Connector M12	\$ 59.44
XUB	XUB9ANXNM12	cylindrical, plastic, polarised, Smax 7 m, NPN, Connector M12	\$ 59.48
XUB	XUB2BPXWL2R	Cylindrical, Metal, Angled, Thru-beam, Receiver, Smax 30m, PNP, Cable 2m	\$ 60.09
XUB	XUB2BNXWL2R	Cylindrical, Metal, Angled, Thru-beam, Receiver, Smax 30m, NPN, Cable 2m	\$ 60.11
XUB	XUB2BPXWM12R	Cylindrical, Metal, Angled, Thru-beam, Receiver, Smax 30m, PNP, Connector M12	\$ 60.50
XUB	XUB2BNXWM12R	Cylindrical, Metal, Angled, Thru-beam, Receiver, Smax 30m, NPN, Connector M12	\$ 60.53
XUB	XUB6BPXNL2	Cylindrical, Metal, Diffuse Medium, Smax 0.6 m, PNP, Cable 2m	\$ 61.11
XUB	XUB6BNXNL2	Cylindrical, Metal, Diffuse Medium, Smax 0.6 m, NPN, Cable 2m	\$ 61.16
XUB	XUB5APXNL2	Cylindrical, Plastic, Diffuse long, Smax 1 m, PNP, Cable 2m	\$ 61.44
XUB	XUB5ANXNL2	Cylindrical, Plastic, Diffuse long, Smax 1 m, NPN, Cable 2m	\$ 61.48
XUB	XUB6BPXNM12	Cylindrical, Metal, Diffuse Medium, Smax 0.6 m, PNP, Connector M12	\$ 61.54
XUB	XUB6BNXNM12	Cylindrical, Metal, Diffuse Medium, Smax 0.6 m, NPN, Connector M12	\$ 61.58
XUB	XUB5APXNM12	Cylindrical, Plastic, Diffuse long, Smax 1 m, PNP, Connector M12	\$ 61.86

XUB	XUB5ANXNM12	Cylindrical, Plastic, Diffuse long, Smax 1 m, NPN, Connector M12	\$ 61.90
XUB	XUB6APYNM12	Cylindrical, Plastic, Diffuse Medium, Smax 0.6 m, IO-Link, Connector M12	\$ 62.89
XUB	XUB2BPYWM12R	Cylindrical, Metal, Angled, Thru-beam, Receiver, Smax 30m, IO-Link, Connector M12	\$ 63.01
XUB	XUB9APXWL2	cylindrical, plastic, angled, polarised, Smax 5.5 m, PNP, Cable 2 m	\$ 63.21
XUB	XUB6APXWL2	Cylindrical, Plastic, Angled, Diffuse Medium, Smax 0.5 m, PNP, Cable 2m	\$ 63.24
XUB	XUB9APXWM12	cylindrical, plastic, angled, polarised, Smax 5.5 m, PNP, Connector M12	\$ 63.65
XUB	XUB9BPXNL2	cylindrical, metal, polarised, Smax 7 m, PNP, Cable 2 m	\$ 63.65
XUB	XUB6APXWM12	Cylindrical, Plastic, Angled, Diffuse Medium, Smax 0.5 m, PNP, Connector M12	\$ 63.68
XUB	XUB9ANXWM12	cylindrical, plastic, angled, polarised, Smax 5.5 m, NPN, Connector M12	\$ 63.69
XUB	XUB9BNXNL2	cylindrical, metal, polarised, Smax 7 m, NPN, Cable 2 m	\$ 63.70
XUB	XUB6ANXWM12	Cylindrical, Plastic, Angled, Diffuse Medium, Smax 0.5 m, NPN, Connector M12	\$ 63.73
XUB	XUB9BPXNM12	cylindrical, metal, polarised, Smax 7 m, PNP, Connector M12	\$ 64.09
XUB	XUB9BNXNM12	cylindrical, metal, polarised, Smax 7 m, NPN, Connector M12	\$ 64.13
XUB	XUB6ANXWL2	Cylindrical, Plastic, Angled, Diffuse Medium, Smax 0.5 m, NPN, Cable 2m	\$ 64.14
XUB	XUB5APYNM12	Cylindrical, Plastic, Diffuse long, Smax 1 m, IO-Link, Connector M12	\$ 64.16
XUB	XUB9ANXWL2	cylindrical, plastic, angled, polarised, Smax 5.5 m, NPN, Cable 2 m	\$ 64.16
XUB	XUB9APYNM12	cylindrical, plastic, polarised, Smax 7 m, IO-Link, Connector M12	\$ 64.49

XUB	XUB9BNXWL2	cylindrical, metal, angled, polarised, Smax 5.5 m, NPN, Cable 2 m	\$ 65.24
XUB	XUB5BPXNL2	Cylindrical, Metal, Diffuse long, Smax 1 m, PNP, Cable 2m	\$ 66.25
XUB	XUB5BNXNL2	Cylindrical, Metal, Diffuse long, Smax 1 m, NPN, Cable 2m	\$ 66.29
XUB	XUB5BPXNM12	Cylindrical, Metal, Diffuse long, Smax 1 m, PNP, Connector M12	\$ 66.70
XUB	XUB6APYWM12	Cylindrical, Plastic, Angled, Diffuse Medium, Smax 0.5 m, IO-Link, Connector M12	\$ 66.73
XUB	XUB5BNXNM12	Cylindrical, Metal, Diffuse long, Smax 1 m, NPN, Connector M12	\$ 66.75
XUB	XUB6BPYNM12	Cylindrical, Metal, Diffuse Medium, Smax 0.6 m, IO-Link, Connector M12	\$ 67.40
XUB	XUB9BPXWL2	cylindrical, metal, angled, polarised, Smax 5.5 m, PNP, Cable 2 m	\$ 68.16
XUB	XUB6BPXWL2	Cylindrical, Metal, Angled, Diffuse Medium, Smax 0.5 m, PNP, Cable 2m	\$ 68.20
XUB	XUB6BNXWL2	Cylindrical, Metal, Angled, Diffuse Medium, Smax 0.5 m, NPN, Cable 2m	\$ 68.24
XUB	XUB9APYWM12	cylindrical, plastic, angled, polarised, Smax 5.5 m, IO-link, Connector M12	\$ 68.59
XUB	XUB9BPXWM12	cylindrical, metal, angled, polarised, Smax 5.5 m, PNP, Connector M12	\$ 68.63
XUB	XUB6BPXWM12	Cylindrical, Metal, Angled, Diffuse Medium, Smax 0.5 m, PNP, Connector M12	\$ 68.66
XUB	XUB9BNXWM12	cylindrical, metal, angled, polarised, Smax 5.5 m, NPN, Connector M12	\$ 68.68
XUB	XUB6BNXWM12	Cylindrical, Metal, Angled, Diffuse Medium, Smax 0.5 m, NPN, Connector M12	\$ 68.71
XUB	XUB5BPYNM12	Cylindrical, Metal, Diffuse long, Smax 1 m, IO-Link, Connector M12	\$ 68.79
XUB	XUB9BPYNM12	cylindrical, metal, polarised, Smax 7 m, IO-Link, Connector M12	\$ 69.14

XUB	XUB6BPYWM12	Cylindrical, Metal, Angled, Diffuse Medium, Smax 0.5 m, IO-Link, Connector M12	\$ 72.50
XUB	XUB9BPYWM12	cylindrical, metal, angled, polarised, Smax 5.5 m, IO-link, Connector M12	\$ 74.51
XUB	XUB2APXNL2	Cylindrical, Plastic, Thru-beam, System, Smax 30m, PNP, Cable 2m	\$ 79.06
XUB	XUB2ANXNL2	Cylindrical, Plastic, Thru-beam, System, Smax 30m, NPN, Cable 2m	\$ 79.09
XUB	XUB2APXNM12	Cylindrical, Plastic, Thru-beam, System, Smax 30m, PNP, Connector M12	\$ 79.38
XUB	XUB2ANXNM12	Cylindrical, Plastic, Thru-beam, System, Smax 30m, NPN, Connector M12	\$ 79.41
XUB	XUB2APXWL2	Cylindrical, Plastic, Angled, Thru-beam, System, Smax 30m, PNP, Cable 2m	\$ 82.38
XUB	XUB2ANXWL2	Cylindrical, Plastic, Angled, Thru-beam, System, Smax 30m, NPN, Cable 2m	\$ 82.41
XUB	XUB2APXWM12	Cylindrical, Plastic, Angled, Thru-beam, System, Smax 30m, PNP, Connector M12	\$ 82.73
XUB	XUB2BPXNL2	Cylindrical, Metal, Thru-beam, System, Smax 30m, PNP, Cable 2m	\$ 82.73
XUB	XUB2ANXWM12	Cylindrical, Plastic, Angled, Thru-beam, System, Smax 30m, NPN, Connector M12	\$ 82.75
XUB	XUB2BNXNL2	Cylindrical, Metal, Thru-beam, System, Smax 30m, NPN, Cable 2m	\$ 82.76
XUB	XUB2BPXNM12	Cylindrical, Metal, Thru-beam, System, Smax 30m, PNP, Connector M12	\$ 83.08
XUB	XUB2BNXNM12	Cylindrical, Metal, Thru-beam, System, Smax 30m, NPN, Connector M12	\$ 83.10
XUB	XUB2BPXWL2	Cylindrical, Metal, Angled, Thru-beam, System, Smax 30m, PNP, Cable 2m	\$ 86.30
XUB	XUB2BNXWL2	Cylindrical, Metal, Angled, Thru-beam, System, Smax 30m, NPN, Cable 2m	\$ 86.34
XUB	XUB2BPXWM12	Cylindrical, Metal, Angled, Thru-beam, System, Smax 30m, PNP, Connector M12	\$ 86.68

XUB	XUB2BNXWM12	Cylindrical, Metal, Angled, Thru-beam, System, Smax 30m, NPN, Connector M12	\$ 86.71
XUB	XUB2APYNM12	Cylindrical, Plastic, Thru-beam, System, Smax 30m, IO-Link, Connector M12	\$ 89.89
XUB	XUB2APYWM12	Cylindrical, Plastic, Angled, Thru-beam, System, Smax 30m, IO-Link, Connector M12	\$ 95.58
XUB	XUB2BPYNM12	Cylindrical, Metal, Thru-beam, System, Smax 30m, IO-Link, Connector M12	\$ 96.36
XUB	XUB2BPYWM12	Cylindrical, Metal, Angled, Thru-beam, System, Smax 30m, IO-Link, Connector M12	\$ 103.94

Terms & Conditions

Minimum Order Quantity (MOQ): For subsequent orders, a MOQ of 10 **pieces** is required. This can include a mix of MRO/OEM and **XUM/XUB/XUN/XU Applicative** references to qualify for the net prices above.

Validity Period: Till **30 April 2025**.

Delivery Period: No later than end **30 April 2025** for **ex-stock items**.



Lim Kim Hai Electric Co (S) Pte Ltd

Lim Kim Hai Building,

53 Kallang Place, Singapore 339177

T (+65) 6292 3711 • (+65) 6490 5000

F (+65) 6297 0078

E customerservice@limkimhai.com.sg

W www.limkimhai.com.sg